

WHAT IS CLAIMED IS:

- 1 1. A golf club head comprising:
 - 2 a club head body composed of a first material, said club head body having a front face
 - 3 with a first cavity formed therein;
 - 4 a face insert composed of a second material disposed within the first cavity, said face
 - 5 insert comprising a body with a front surface, a back surface and a lateral surface, the back
 - 6 surface having a second cavity formed therein; and
 - 7 a cavity insert comprising a body composed of a third material disposed within the
 - 8 second cavity.
- 1 2. The golf club head of claim 1, wherein:
 - 2 said club head body is composed of metal.
- 1 3. The golf club head of claim 1, wherein;
 - 2 said face insert is composed of a polymer.
- 1 4. The golf club head of claim 3, wherein:
 - 2 said cavity insert is composed of a polymer having a lower durometer than said
 - 3 face insert.
- 1 5. The golf club head of claim 4, wherein:
 - 2 said cavity insert is composed of a silicone compound.
- 1 6. The golf club of claim 1, further comprising:
 - 2 an adhesive layer disposed between said club head body and said cavity insert.

1 7. The golf club of claim 1, wherein:

2 said face insert includes a continuous lip extending outward from the lateral
3 surface of said face insert, the lip being adapted to center said face insert in said first
4 cavity.

1 8. The golf club of claim 7, wherein:

2 said first cavity has a depth of approximately 0.215 inch; and

3 said face insert has a thickness of approximately 0.200 inch.

1 9. The golf club of claim 8, wherein:

2 the lip extends outwardly approximately 0.025 inch from the lateral surface of
3 said face insert.

1 10. A golf club head comprising:

2 a club head body composed of a first material, said club head body having a
3 front face with a first cavity formed therein, the first cavity being defined by a bottom
4 wall and a side wall;

5 a face insert composed of a second material disposed in the first recess, said
6 face insert having a front surface, a back surface and a lateral surface, the lateral
7 surface having a continuous raised lip extending outwardly from the lateral surface of
8 the face insert, the raised lip contacting the side wall of the first cavity to center said
9 face insert within the first cavity, the back surface of said face insert having formed
10 therein a second cavity defined by a bottom surface and a side surface;

11 a cavity insert composed of a third material disposed in the second cavity;

and

an adhesive layer for adhering said face insert to said club head body
disposed between said cavity insert and the bottom wall of the first cavity.

11. The golf club head of claim 10, wherein:

said face insert is composed of a polymer having a first durometer and
hardness; and

said cavity insert is composed of a polymer having a second durometer that is
lower in value than said first durometer.

12. The golf club head of claim 12, further comprising:

an adhesive layer disposed between said club head body and said cavity insert.

13. The golf club of claim 13, wherein:

the first cavity has a depth of approximately 0.215 inch; and

said face insert has a thickness of approximately 0.200 inch.

14. The golf club of claim 11, wherein:

the lip extends outwardly approximately 0.025 inch from the lateral surface of
said face surface toward the side wall of the first cavity.

15. A method of making a golf club head comprising:

providing a club head body composed of a first material, said club head body having a
front face with a first cavity formed therein;

4 providing a face insert composed of a second material, said face insert having a front
5 surface and a back surface with a second cavity formed therein;

6 providing a cavity insert composed of a third material;

7 installing said cavity insert in said second cavity; and

8 mounting said face insert in said first cavity.

1 16. The method of claim 15, further comprising adhering said face insert to said club head
2 body.

1 17. The method of claim 16, further comprising utilizing an adhesive layer between said
2 club head body and said cavity insert